DATE: 2023-24 School Year

TO: All Parents/Guardians



### School Health Forms:

Be sure to turn in all completed paperwork BEFORE the start of a new school year.

The following forms must be signed by *parent and physician*: Please bring them with you when your child has their annual physical, so the doctor can sign them.

- 1. <u>Universal Child Health Record –</u> Use this form if a student is <u>NOT</u> participating in any sports.
- 2. Physician's Medication Order Form Standing Orders
- 3. <u>Self-Medication Form</u> If applicable. This form must be signed by *parent*, *physician*, *and student*
- 4. Asthma Treatment Plan If applicable
- 5. Food Allergy Action Plan If applicable

### Athletic Health Forms:

The following forms must be completed before the student athlete will be allowed to participate in athletics at Veritas Christian Academy. Please click the "Athletic Health Forms 2022-23 - combined" link for the following forms.

- 1. <u>Preparticipation Physical Evaluation Form</u>. This form must be filled out and signed by a parent **and** a physician.
- 2. NJ Health History Update Form. This form must be completed **if** the athlete's physical took place within the last year (so you are unable to schedule another exam) and is more than 90 days old.
- 3. Opioid Use and Misuse Fact Sheet must be read and signed by a parent and by the athlete.
- 4. Concussion Information Fact Sheet must be read and signed by a parent and by the athlete.
- 5. <u>Sudden Cardiac Death in Young Athletes Fact Sheet</u> must be read and signed by a parent and by the athlete.

Students must use the state-mandated physical evaluation forms, which are included in this packet and are also on the Veritas website. Please be diligent when visiting your healthcare provider to ensure that all forms are completed, including current medication orders, and most recent immunization records.

If you choose to make a religious exemption for immunizations, please create a letter to the school stating that it is due to religious beliefs, including student's name, reasons why you are making this choice, with scripture verse(s), parental signature and date.

### **UNIVERSAL CHILD HEALTH RECORD**

Endorsed by:

American Academy of Pediatrics, New Jersey Chapter New Jersey Academy of Family Physicians New Jersey Department of Health

SECTION I - TO BE COMPLETED BY PARENT(S)										
Child's Name (Last) Gender Date of Birth										
							Female	;	/	1
Does Child Have Health Insurance? If Yes, Name of Child's Health Insurance Carrier  Yes No										
Parent/Guardian Name			Home Teleph	hone Number Work Telephone/Cell Phone Number					II Phone Number	
			(	)	-			(	)	-
Parent/Guardian Name Home Telep				hone Number Work Telephone/Cell Phone Number						
			(	)	-			(	)	-
I give my consent for my chile	d's Health Care I	Provider	and Child Ca	re P	rovider/S	chool Nurs	se to a	iscuss the in	forma	tion on this form.
Signature/Date								orm may be re		
								]Yes	No	
SECTION II - TO BE COMPLETED BY HEALTH CARE PROVIDER										
Date of Physical Exemination:						mination no		□Yes		□No
Date of Physical Examination: Abnormalities Noted:			Results 0	п рп	ysicai exa					Пио
Abriormanties Noted.				Weight (must be taken within 30 days for WIC)						
				Height (must be taken						
				within 30 days for WIC)						
						Head Circ		ence		
						(if <2 Yea				
						Blood Pre (if >3 Yea				
		☐ Imm	unization Reco	ord A	Attached	( <u>-</u> 0 /00	0/			
IMMUNIZATIONS	3	=	Next Immuniz							
			MEDICAL CO							
Chronic Medical Conditions/Related	Surgeries	Non		_	omments					
List medical conditions/ongoing			ial Care Plan	Commonic						
concerns:		_	ched	Comments						
Medications/Treatments		∐ Non	e cial Care Plan	Comments						
List medications/treatments:		— .	ched							
Limitations to Physical Activity		☐ Non	9	C	omments					
List limitations/special consider	ations:		cial Care Plan							
		Non	ched	C	omments					
Special Equipment Needs  • List items necessary for daily a	otiviti oo	=	ial Care Plan							
• List items necessary for daily a	Cuvities	_	ched							
Allergies/Sensitivities		☐ None☐ Special Care Plan			omments					
List allergies:			ched	1						
Special Diet/Vitamin & Mineral Supplements		None			omments					
List dietary specifications:	Dictricitis	Special Care Plan								
-	_	Atta Non	ched -	C	omments					
Behavioral Issues/Mental Health Dia			cial Care Plan	~						
List behavioral/mental health is	sues/concerns:	Atta	ched							
Emergency Plans	he needed and	Non		C	omments					
List emergency plan that might be needed and the sign/symptoms to watch for:  Attached										
	PREVENTIVE HEALTH SCREENINGS									
Type Screening	Date Performed	ı	Record Value		Туре	Screening	3	Date Perforn	ned	Note if Abnormal
Hgb/Hct					Hearing					
Lead: Capillary Venous					Vision			·		
TB (mm of Induration)					Dental					
Other:					Developi	mental				
Other:					Scoliosis					
I have examined the above student and reviewed his/her health history. It is my opinion that he/she is medically cleared to										
participate fully in all child		vities, ii					_	e contact sp	orts, u	nless noted above.
Name of Health Care Provider (Prin	t)			Heal	th Care Pr	ovider Stam	np:			
Signature/Date										

#### Instructions for Completing the Universal Child Health Record (CH-14)

#### **Section 1 - Parent**

Please have the parent/guardian complete the top section and sign the consent for the child care provider/school nurse to discuss any information on this form with the health care provider.

The WIC box needs to be checked only if this form is being sent to the WIC office. WIC is a supplemental nutrition program for Women, Infants and Children that provides nutritious foods, nutrition counseling, health care referrals and breast feeding support to income eligible families. For more information about WIC in your area call 1-800-328-3838.

#### Section 2 - Health Care Provider

- Please enter the date of the physical exam that is being used to complete the form. Note significant abnormalities especially if the child needs treatment for that abnormality (e.g. creams for eczema; asthma medications for wheezing etc.)
  - Weight Please note pounds vs. kilograms. If the form is being used for WIC, the weight must have been taken within the last 30 days.
  - Height Please note inches vs. centimeters. If the form is being used for WIC, the height must have been taken within the last 30 days.
  - Head Circumference Only enter if the child is less than 2 years.
  - Blood Pressure Only enter if the child is 3 years or older.
- Immunization A copy of an immunization record may be copied and attached. If you need a blank form on which to enter the immunization dates, you can request a supply of Personal Immunization Record (IMM-9) cards from the New Jersey Department of Health, Vaccine Preventable Diseases Program at 609-826-4860. The Immunization record must be attached for the form to be valid.
  - "Date next immunization is due" is optional but helps child care providers to assure that children in their care are up-to-date with immunizations.
- Medical Conditions Please list any ongoing medical conditions that might impact the child's health and well being in the child care or school setting.
  - a. Note any significant medical conditions or major surgical history. If the child has a complex medical condition, a special care plan should be completed and attached for any of the medical issue blocks that follow. A generic care plan (CH-15) can be downloaded at <a href="https://www.nj.gov/health/forms/ch-15.dot">www.nj.gov/health/forms/ch-15.dot</a> or pdf. Hard copies of the CH-15 can be requested from the Division of Family Health Services at 609-292-5666.
  - b. Medications List any ongoing medications. Include any medications given at home if they might impact the child's health while in child care (seizure, cardiac or asthma medications, etc.). Short-term medications such as antibiotics do not need to be listed on this form. Long-term antibiotics such as antibiotics for urinary tract infections or sickle cell prophylaxis should be included.

PRN Medications are medications given only as needed and should have guidelines as to specific factors that should trigger medication administration.

Please be specific about what over-the-counter (OTC) medications you recommend, and include information for the parent and child care provider as to dosage, route, frequency, and possible side effects. Many child care providers may require separate permissions slips for prescription and OTC medications.

- c. Limitations to physical activity Please be as specific as possible and include dates of limitation as appropriate. Any limitation to field trips should be noted. Note any special considerations such as avoiding sun exposure or exposure to allergens. Potential severe reaction to insect stings should be noted. Special considerations such as back-only sleeping for infants should be noted.
- d. **Special Equipment** Enter if the child wears glasses, orthodontic devices, orthotics, or other special equipment. Children with complex equipment needs should have a care plan.
- e. Allergies/Sensitivities Children with lifethreatening allergies should have a special care plan. Severe allergic reactions to animals or foods (wheezing etc.) should be noted. Pediatric asthma action plans can be obtained from The Pediatric Asthma Coalition of New Jersey at www.pacnj.org or by phone at 908-687-9340.
- f. **Special Diets** Any special diet and/or supplements that are medically indicated should be included. Exclusive breastfeeding should be noted.
- g. Behavioral/Mental Health issues Please note any significant behavioral problems or mental health diagnoses such as autism, breath holding, or ADHD.
- Emergency Plans May require a special care plan if interventions are complex. Be specific about signs and symptoms to watch for. Use simple language and avoid the use of complex medical terms.
- 4. Screening This section is required for school, WIC, Head Start, child care settings, and some other programs. This section can provide valuable data for public heath personnel to track children's health. Please enter the date that the test was performed. Note if the test was abnormal or place an "N" if it was normal.
  - For lead screening state if the blood sample was capillary or venous and the value of the test performed.
  - For PPD enter millimeters of induration, and the date listed should be the date read. If a chest x-ray was done, record results.
  - Scoliosis screenings are done biennially in the public schools beginning at age 10.

This form may be used for clearance for sports or physical education. As such, please check the box above the signature line and make any appropriate notations in the Limitation to Physical Activities block.

- 5. Please sign and date the form with the date the form was completed (note the date of the exam, if different)
  - Print the health care provider's name.
  - Stamp with health care site's name, address and phone number.



### **STANDING ORDERS**

### PHYSICIAN'S MEDICATION ORDER FORM

	School Year	<del></del>		
 with	(Student's h written parental permission only:	name) may receive the following medications,		
( )	Acetaminophen 325 mg tablets. May to minor aches, pains, headache or a feve	ake 2 tablets every 4 hours as needed for r > 101.		
( )	Ibuprofen 200 mg tablets. May take 2 meeded for minor aches, pains, headach	rablets every 4-6 tablets every 4-6 hours as ne or a fever > 101.		
( )	Tums 500 mg tablets. May chew 2-4 ta may be used for acid indigestion or hea	blets as needed. May repeat in one hour; rtburn.		
( )	Cough drops. One lozenge every 2 hours as needed for cough or sore throat.			
( )	Benadryl 25 mg tablets. 1-2 tablets eve	ry 4 hours as needed for allergic reaction.		
Pare	ent Signature:	Date:		
Phys	vsician Signature:	Date:		



#### **SELF-MEDICATION FORM**

The administration of medication to a student at school during school hours will be permitted only when the student's physician certifies in writing that the medication is essential to the health of the student. The parent/guardian must provide a written request for the administration of the prescribed medication at school.

art I – TO BE COMPLETED IN FULL BY THE STUDENT'S PHYSICIAN I certify that it is essential to the factor of the student that the following medication be administered during school hours as directed.
IAGNOSIS:
AME OF MEDICATION:
OSAGE/MODE/FREQUENCY:
DE EFFECTS, IF ANY:
ermission granted for self-medication. This student has been trained and is proficient in self-
dministration of the prescribed medication
ength of time order is valid (May not exceed the school year)
ATE
GNATURE OF MD
ELEPHONE NUMBER:
art II – TO BE COMPLETED BY THE PARENT/GUARDIAN I hereby request self-medication privilegolid. I understand that Veritas Christian Academy and its employees or agents shall incur no liabitesult of injury arising from the self-administration of medication by the student. The student and inderstand that self-medication privileges are lost if the student does not use the medication prop
ATE
GNATURE OF PARENT/GUARDIAN
GNATURE OF STUDENT

### Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)







(Please Pi	rint)							
Name				Date of Birth		Effective Date		
Doctor			Parent/Guardian (if applicable)			Emergency Contact		
Phone			Phone			Phone		
HEALTHY	(Green Zone)		ce daily control me re effective with a				Triggers Check all items that trigger	
	You have <u>all</u> of these:	MEDI	CINE	HOW MUCH to take an	nd HOW	OFTEN to take it	patient's asthma:	
الوم ليك	<ul> <li>Breathing is good</li> </ul>	☐ Adv	air® HFA 🗌 45, 🔲 115, 🗀 23	302 puffs tv	vice a da	у	□ Colds/flu	
NO PO	No cough or wheeze	☐ Aero	ospan™ sco®		2 puffs tv	vice a day	□ Exercise	
D Was	• Sleep through		SCO® □ 80, □ 160 ora® □ 100 □ 200		2 puπs tv vice a da	vice a day	□ Allergens	
CE	the night	☐ Flov	era®	2 puffs to	wice a da wice a da	V	O Dust Mites,	
LATE OF	Can work, exercise,	☐ Qva	r®		puffs tw	ice a day	dust, stuffed animals, carpet	
DW	and play	☐ Sym	bicort® 🗌 80, 🔲 160		puffs tw	vice a day	o Pollen - trees,	
			air Diskus® 🔲 100, 🔲 250, ∟	」5001 inhalati	inhalatio	a day	grass, weeds	
		☐ Flov	anex® Twisthaler® ☐ 110, ☐ ent® Diskus® ☐ 50 ☐ 100 ☐	220 1,	ion twice	a dav	O Mold	
		☐ Pulr	nicort Flexhaler® 🗌 90, 🗌 18	30	? inhalatio	ons 🗌 once or 🔲 twice a day	O Pets - animal dander	
		☐ Puln	nicort Respules® (Budesonide) 🔲 0	.25,  0.5, 1.0_1 unit nel	bulized 🗆	once or 🗌 twice a day	o Pests - rodents,	
			gulair® (Montelukast) 🗌 4, 🔲 5,	☐ 10 mg1 tablet d	laily		cockroaches	
And/or Dool	t flow above	☐ Oth					☐ Odors (Irritants) ☐ Cigarette smoke	
		our asthr	Remember na, take	to rinse your mouth a		ing inhaled medicine outes before exercise	& second hand smoke  • Perfumes,	
CAUTION	(Yellow Zone)		ntinue daily control mo	edicine(s) and ADD q	quick-re	elief medicine(s).	cleaning products, scented	
	You have <u>any</u> of these	MEDI	CINE	HOW MUCH to take ar	nd HOW	OFTEN to take it	products  Smoke from	
Joe John	Cough     Mild wheeze	□ Albı	iterol MDI (Pro-air® or Prove	ntil® or Ventolin®) 2 puffs	s every 4	hours as needed	burning wood,	
e	<ul><li>Mild wheeze</li><li>Tight chest</li></ul>		enex®				inside or outside	
Cop M	Coughing at night	☐ Albu	iterol 🗌 1.25, 🗌 2.5 mg	1 unit	nebulized	l every 4 hours as needed	□ Weather ○ Sudden	
	Other:	☐ Duc	neb®	temperature				
THE PERSON NAMED IN COLUMN TO THE PE	· Other	☐ Xop	enex® (Levalbuterol) □ 0.31, □	change				
Com			nbivent Respimat®	1 inhal	lation 4 ti	mes a day	<ul> <li>Extreme weathe</li> <li>hot and cold</li> </ul>	
			ease the dose of, or add:	Ozone alert days				
2 times and symptoms persist, call your Other							☐ Foods:	
	the emergency room.		uick-relief medici				0	
And/or Peak f	flow from to	we	ek, except before	exercise, then o	call y	our doctor.	0	
FILEDOF	NOV (P. LT. N. HIII						O	
EMERGE	NCY (Red Zone)    III	, -	ake these me				Other:	
Carried	Your asthma is	A:	sthma can be a life	e-threatening illn	iess.	Do not wait!	0	
3	getting worse fast: • Quick-relief medicine did	ME	DICINE	HOW MUCH to	take and	HOW OFTEN to take it	0	
(HO)	not help within 15-20 mi		Albuterol MDI (Pro-air® or Pr	oventil <sup>®</sup> or Ventolin <sup>®</sup> )	4 puffs e	every 20 minutes		
	· Breathing is hard or fast		Xopenex® Albuterol □ 1.25, □ 2.5 mg			every 20 minutes	This asthma treatment	
THE	Nose opens wide • Ribs :	show	Albuterol $\square$ 1.25, $\square$ 2.5 mg			bulized every 20 minutes	plan is meant to assist	
	<ul> <li>Trouble walking and talk</li> <li>Lips blue • Fingernails b</li> </ul>	ing	Duoneb® Xopenex® (Levalbuterol) □ 0.31	1 □ 0.63 □ 1.25 mg	I Unit ne	bulized every 20 minutes	not replace, the clinical decision-making	
And/or Peak flow	Other:		Combivent Respimat®	1, □ 0.00, □ 1.20 mg	1 inhalati	ion 4 times a day	required to meet	
below	other		Other		_ · · · · · · · · · · · · · · · · · · ·		individual patient need	
Disclaimers: Try sent this Webb-PACN	NJ Astirra "neament Pilor and its content is at your own rick. The content is			T				
limited to the long fer; warmanies or mentions shally.	Association of the Mid-Alanic (ALAM-A), the Pr. introAntil Astronous utilities on implicit, statistry or otherwise, including but not integrated in the dispersance of high controllers or common and interference of the controllers of the cont	nission to S	Self-administer Medication:	PHYSICIAN/APN/PA SIGNAT	URE		DATE	
contest. A. AN-Amake: so warranty, representation of defects can be corrected. In no event or sill ALAM contest and all deposits, sometimes and international or services.	alout the accuracy, and shifty, completer ass, corrects, or firediness of the non-passway that the information will be on the regard or start the or that any MA to field in the open company of the definition, in plental and death, loss profiles or decrease result on the right to along a large and transplant.		capable and has been instructed			Physician's Orders		
es. Ring from the size or inability to one the content any "ther light henry, and whether "I not ALAM-A not lightle for any claim, who have ear our liveness.			nethod of self-administering of the	PARENT/GUARDIAN SIGNAT	TIRE			
The Fod strictAddit Asterna Coalition of New Lorses.	grown and by the American Long Association in New Joseph This p. Missellin		inhaled medications named above	, AILM AUGAIDIAN SIGNAI	JIIL		<del>-</del> 110 - 1	
This country is a proper of the state of the			PHYSICIAN STAMP					

### Asthma Treatment Plan – Student

### Parent Instructions

The **PACNJ Asthma Treatment Plan** is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

- 1. Parents/Guardians: Before taking this form to your Health Care Provider, complete the top left section with:
  - · Child's name
- · Child's doctor's name & phone number

· Parent/Guardian's name

- · Child's date of birth
- An Emergency Contact person's name & phone number
- & phone number



- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- · Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check "OTHER" and:
  - Write in asthma medications not listed on the form
  - ❖ Write in additional medications that will control your asthma
  - \* Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow
- 3. Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:
  - · Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
  - · Child's asthma triggers on the right side of the form
  - <u>Permission to Self-administer Medication</u> section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- 4. Parents/Guardians: After completing the form with your Health Care Provider:
  - Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
  - · Keep a copy easily available at home to help manage your child's asthma
  - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION  I hereby give permission for my child to receive medication at school as p in its original prescription container properly labeled by a pharmacist of information between the school nurse and my child's health care prounderstand that this information will be shared with school staff on a need	or physician. I also giv vider concerning my	e permission for the release and exchange of			
Parent/Guardian Signature	Phone	Date			
FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM.  RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY					
I do request that my child be <b>ALLOWED</b> to carry the following medication for self-administration in school pursuant to N.J.A.C.:6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.					
☐ I <b>DO NOT</b> request that my child self-administer his/her asthma medication.					
Parent/Guardian Signature	Phone	 Date			



Disclaimers: The use of this Website/PACNI Asthma Treatment Plan and its content is at your own risk. The content is provided on an "as is" basis. The American Lung Association of the Mid-Allantic (ALAM-A), the Pediatric/Adult Asthma Coalition on New Jersey and all affiliates disclaim all warranties, express or implied statutory or otherwise, including but not limited to the imcide warranties or mentioratability, non-intringement of third parties rights, and filters for a particular purpose. At AM-A makes no varranty, generatation or or quarranty that their mornation will be uninterroughed or error there or that any dedects can be corrected. In no event shall ALAM-A be falled for any damages (including, without limitation, incidental and consequential damages, personal injury/wronglul death, lost profits, or damages resulting from data or business interroution resulting from the use or inability to use the content of this Anthrona Treatment and warranty, contract, for or any other legal monty, and whether or not ALAM-A is advised the possibility of such damages. ALAM-A and is shiftlest are not liable for any damages by your use or muses of the Asthma Teatment Plan and it his website.

Sponsored by

AMERICAN
LUNG
ASSOCIATION.

The Pediatric/Adult Asthma Coalition of New Jersey, sponsored by the American Lung Association in New Jersey. This publication was supported by a grant from the New Jersey Department of Health and Senior Services, with funds provided by the U.S. Centers for Disease Control and Prevention under Cooperative Agreement (J.59EH005947-5. Its content are solely the responsibility with the authors and do not necessarily represent the official views of the New Jersey Department of Health and Serior Services or the U.S. Centers for Disease Control and Prevention. Although this document has been funded wholly or in part by the United Series Environmental Production Report, under Agreement Association in New Jersey, that so not gone through the Agency part of the Agency and no official endorsement should be interred. Information in this publication is not intended to diagnose health problems or take the place of medical advice. For asthma or any medical condition, seek medical advice from your child's or your health care protessional.

### **Food Allergy Action Plan**


Name: Allergy to: lbs. Asthma:   Yes (higher risk for a see		Place Student's Picture Here			
Extremely reactive to the following foods:  THEREFORE:  If checked, give epinephrine immediately for ANY symptoms  If checked, give epinephrine immediately if the allergen was	s if the allergen was <i>likely</i> eat				
Any SEVERE SYMPTOMS after suspected or known ingestion:  One or more of the following:  LUNG: Short of breath, wheeze, repetitive cough HEART: Pale, blue, faint, weak pulse, dizzy, confused  THROAT: Tight, hoarse, trouble breathing/swallowing MOUTH: Obstructive swelling (tongue and/or lips) SKIN: Many hives over body  Or combination of symptoms from different body areas: SKIN: Hives, itchy rashes, swelling (e.g., eyes, lips) GUT: Vomiting, crampy pain	asthma	ring (see box al medications:* ne nchodilator) if nalers/bronchodilators led upon to treat a			
MILD SYMPTOMS ONLY:  MOUTH: Itchy mouth SKIN: A few hives around mouth/face, mild itch GUT: Mild nausea/discomfort	parent 3. If symptoms above), USE	dent; alert rofessionals and			
Medications/Doses	L				
Epinephrine (brand and dose):Antihistamine (brand and dose):					
Other (e.g., inhaler-bronchodilator if asthmatic):					
Monitoring Stay with student; alert healthcare professionals and pare request an ambulance with epinephrine. Note time when epine epinephrine can be given 5 minutes or more after the first if syconsider keeping student lying on back with legs raised. Treat back/attached for auto-injection technique.	ephrine was administered. A s mptoms persist or recur. For a	second dose of a severe reaction,			
Parent/Guardian Signature Date Physic	ician/Healthcare Provider Signatu	re Date			

### EPIPEN Auto-Injector and EPIPEN Jr Auto-Injector Directions

- First, remove the EPIPEN Auto-Injector from the plastic carrying case
- Pull off the blue safety release cap



 Hold orange tip near outer thigh (always apply to thigh)



 Swing and firmly push orange tip against outer thigh. Hold on thigh for approximately 10 seconds.
 Remove the EPIPEN Auto-Injector and massage the area for 10 more seconds



DEY" and the Dey logo, EpiPen", EpiPen 2-Pak", and EpiPen Jr 2-Pak" are registered trademarks of Dey Pharma, L.P.

## Twinject® 0.3 mg and Twinject® 0.15 mg Directions



Remove caps labeled "1" and "2."

Place rounded tip against outer thigh, press down hard until needle penetrates. Hold for 10 seconds, then remove.



# SECOND DOSE ADMINISTRATION: If symptoms don't improve after 10 minutes, administer second dose:

Unscrew rounded tip. Pull syringe from



barrel by holding blue collar at needle base.

Slide yellow collar off plunger.

Put needle into thigh through skin, push plunger down all the way, and remove.



Adrenaclick™ 0.3 mg and Adrenaclick™ 0.15 mg Directions



Remove GREY caps labeled "1" and "2."

Place RED rounded tip against outer thigh, press down hard until needle penetrates. Hold for 10 seconds, then remove.

A food allergy response kit should contain at least two doses of epinephrine, other medications as noted by the student's physician, and a copy of this Food Allergy Action Plan.

A kit must accompany the student if he/she is off school grounds (i.e., field trip).

#### Contacts

Call 911 (Rescue squad: ()) Doctor:	Phone: ()
Parent/Guardian:	Phone: ()
Other Emergency Contacts	
Name/Relationship:	Phone: ()
Name/Relationship:	Phone: ( ) -